python-mpd2 Documentation

Release 3.0.3

Jörg Thalheim

Contents

1	Difference with python-mpd	3
2	Getting Started	5
3	Command Reference	7
4	Changelog	9

python-mpd2 is a Python library which provides a client interface for the Music Player Daemon.

Contents 1

2 Contents

CHAPTER 1

Difference with python-mpd

python-mpd2 is a fork of python-mpd. While 0.4.x was backwards compatible with python-mpd, starting with 0.5 provides enhanced features which are *NOT* backward compatibles with the original python-mpd package. See Porting for more information.

The following features were added:

- Python 3 support (but you need at least Python 2.7 or 3.4)
- · asyncio/twisted support
- support for the client-to-client protocol
- support for new commands from MPD v0.17 (seekcur, prio, prioid, config, searchadd, searchaddpl) and MPD v0.18 (readcomments, toggleoutput)
- remove deprecated commands (volume)
- explicitly declared MPD commands (which is handy when using for example IPython)
- · a test suite
- API documentation to add new commands (see Future Compatible)
- support for Unicode strings in all commands (optionally in python2, default in python3 see Unicode Handling)
- configurable timeouts
- · support for logging
- improved support for sticker
- · improved support for ranges

python-mpd2 Documentation, Release 3.0.3	

CH	ΙΛΙ	רם	D	
\cup \sqcap		ГΙ	П	_

Getting Started

A quick guide for getting started python-mpd2:

• Getting Started

			\mathbf{O}
\frown	۷D.		¬ ≺
\cup \sqcap ℓ	42	ᇉ	२ ♂

Command Reference

A complete list of all available commands:

• Commands

CHAPTER 4

Changelog

• Change log