
python-mpd2 Documentation

Release 3.0.3

Jörg Thalheim

Jan 16, 2021

Contents

1	Difference with python-mpd	3
2	Getting Started	5
3	Command Reference	7
4	Changelog	9

python-mpd2 is a Python library which provides a client interface for the [Music Player Daemon](#).

Difference with python-mpd

python-mpd2 is a fork of [python-mpd](#). While 0.4.x was backwards compatible with python-mpd, starting with 0.5 provides enhanced features which are *NOT* backward compatibles with the original [python-mpd](#) package. See [Porting](#) for more information.

The following features were added:

- Python 3 support (but you need at least Python 2.7 or 3.4)
- [asyncio](#)/[twisted](#) support
- support for the client-to-client protocol
- support for new commands from MPD v0.17 ([seekcur](#), [prio](#), [prio](#)id, [config](#), [searchadd](#), [searchaddpl](#)) and MPD v0.18 ([readcomments](#), [toggleoutput](#))
- remove deprecated commands ([volume](#))
- explicitly declared MPD commands (which is handy when using for example [IPython](#))
- a test suite
- API documentation to add new commands (see [Future Compatible](#))
- support for Unicode strings in all commands (optionally in python2, default in python3 - see [Unicode Handling](#))
- configurable timeouts
- support for logging
- improved support for [sticker](#)
- improved support for [ranges](#)

CHAPTER 2

Getting Started

A quick guide for getting started python-mpd2:

- Getting Started

CHAPTER 3

Command Reference

A complete list of all available commands:

- Commands

CHAPTER 4

Changelog

- Change log